# VINTAGE




NEW!

Now in 19 Colors

21P Phthalate Free



## VINTAGE



Whisper SVI-106



Clay SVI-101

To experience the distressed leather appeal of Vintage STRETCH IT • CREASE IT

Cypress SVI-004



Dove SVI-102



Mineral SVI-105



Lakeshore SVI-103



Coal SVI-003



### vintage

**APPLICATIONS** 

Hospitality, Contract, Automotive & RV, Residential

Vintage is specifically formulated to emulate the appearance of the fine waxed pull-up leather. It is designed to distress and lighten when it is sewn and tufted, stretched or creased. NOTE: Folding the material and keeping it folded over long periods of time in production could result in crease marks that may not come out.

#### GENERAL SPECIFICATIONS

Width 54"

Roll Size 30 Yards **Thickness** 1.1 mm

Weiaht 36 Ounces per Linear Yard

Backing Polyester / Cotton

#### PERFORMANCE SPECIFICATIONS

Abrasion Resistance 50,000+ Double Rubs ASTM D 4157-92 Wyzenbeek / CFFA-1A

Colorfastness to Light 300 Hours / AATCC Test Method 16-2012-Option 3 / CFFA-2 (Xenon-Arc)

Cold Crack -20° F Federal Standard No. 191A-Method 5874 / CFFA-6

Sulfide Stain Resistant

#### FLAMMABILITY REQUIREMENTS \*

California Fire Code Technical Bulletin No. 117-2013

**BIFMA** 

**UFAC Class 1** 

MVSS 302

**NFPA 260** 

IMO 2010 FTP Code-MSV 88/26/Add.2 Part 8(3.1 & 3.2)

ASTM E84: Class I or A Rating

#### **CLEANING INSTRUCTIONS**

Prompt cleaning is always recommended. Ordinary dirt and stains can be removed with a mild soap and water. Rinse the cleaned area with clean water and dry with a lint-free cloth. Vintage will resist, without serious discoloration, the repeated actions of normal dilutions of non-abrasive chlorine or ammonia-based cleaners.

#### REDUCED ENVIRONMENTAL IMPACT

21P Phthalate Free (includes all phthalates listed in CAL Prop 65 & CPSIA)

Lead Free

BPA Free/TRIS Free/Formaldehyde Free

Does not contain Conflict Minerals

